



QUALITY MANUAL 3.4.2

Product Specification Organic Raw Milk – Red Tractor

Issue Date 08/07/2021	Reference No. QM-3.4.2 MILKRAWORG
Revision No. 005	Issuer AJS
Page 1 of 1	Authorised By NAP

Organic Raw Milk – Red Tractor Specification

Description	<p>Raw milk produced from cows.</p> <p>Sourced from farms in UK, certified to NDFAS standards and EC Organic Standards to EC Regs 834 & 889, or equivalent.</p> <p>Every other day collection minimum.</p>
-------------	--

Taste / Smell	Clean & Fresh with no discernable odour or taint.
---------------	---

Delivery / Tanker	<p>Delivered ex-reload with BCT55 documentation allowing full traceability back to farm. Paperwork to clearly identify Organic Certifier Code of supplier (e.g. GB-ORG-02)</p> <p>Delivered in hygienic tankers used for human food products only, by haulier operating to EC Organic Standards, to EC Regs 834 & 889 and DTAS standards.</p> <p>Tankers and associated equipment cleaned (CIP) within 24 hours of loading. CIP log kept with tanker.</p> <p>When collected milk should be reloaded within 12 hours of first farm collection, and when delivered within 24 hours of first farm collection for UK deliveries and 48 hours for EU deliveries.</p>
-------------------	---

Analytical Specification - Typical	MAX	MIN
Butterfat	4.50%	3.80%
Protein	3.60%	3.20%
Freezing Point (FPD)	530 m°C	505 m°C
Titrateable Acidity	0.16%	0.13%
Temperature	6 °C	1 °C
Antibiotic	None Detected	
Resazurin	Disk Reading 6 @ 10 mins / 5 @ 2 hrs	
Micro Results	Warning	Typical
Bactoscan	>100,000	<40,000
Somatic Cell Count	>300,000	<250,000

This product is bought and/or sold on the understanding that it will undergo further heat treatment prior to end use.

History of Amendments/Revisions

Revision No.	Date	Revision Detail
001	06/06/2016	First Issue.
002	24/02/2017	Addition of requirement for further heat treatment before end use.
003	07/04/2017	Amended to refer to delivery age for EU deliveries.
004	16/06/2020	Amendment to Resazurin test acceptance results
005	08/07/2021	Amendment to Min FPD in line with changes to regulation

Document Uncontrolled If Printed

